

Features

- **12V/15V External Battery Pack**
- **Capacity 0.3A, 3.6W**
- **Charging Time : 2 Hrs**
- **Operating Temperature 0-45°**
- **Size: 157x90x60**
- **Weight : 530g**
- **Power Indicator : LED**



Description

The BB-12V-15V is a portable battery bank to provide 12V and 15 V DC Supply for supplying to commercial electronic devices. The battery bank used lithium ion cells(Dry Cell) and has a capacity of 0.3A, 3.6W. This battery can be charged using a 12-24V DC power adapter. The battery pack comes with one BB-12V-15V battery + AC Charger.

Built-in IC chip will prevent battery pack from over charge and short circuit.

Warning:

Li-ion battery is very sensitive to charging characteristics and may explode or burn if mishandled. Charge only use a charger supplied for this battery. Do not dispose in a fire or water.

Storage:

Charge or discharge the battery to approximately 50% of capacity before storage. Charge the battery to approximately 50% of capacity at least once every six months. Disconnect the battery and store it separately from the product.

Specifications*

Model	BB-12-15V
Capacity	0.3A, 3.6W
Outputs	12V, 15V
Indicator	Power/LED
Operating Temp	0-45°
Storage Temp	-20° to 40°
Size	157x90x60mm
Weight	530g
Protection	Over-Charge Short Circuit
Battery Cell	Lithium-ion(Dry Cell)
Charging Time	2 hrs

* Nominal values, subject to change without notice.